

Declaration of performance

According to Annex III of the EU-regulation No. 305/2011

No. TRYSIL – 001.1

1. Unique identification code of the product type:
Trysil Antibrann – FG – 2017.09.04

2. Intended use: **Suspended ceilings**

3. Manufacturer: **Trysil Interiørtre AS**
Brubakken 36,
N-2422 Nybergsund.
Phone: +47 62449700
E-mail: post@trysil-interiortre.no
Internet: www.trysil-interiortre.no

4. Authorised representative: **Not relevant**

5. System of AVCP: **System 1**

- 6a. Harmonised standard: **EN 13964:2014**

- Notified body: **NB 0402 - RISE Research Institutes of Sweden AB**

7. Declared performances:

Essential characteristics	Declared performance	Harmonised technical specification
Reaction to fire	B-s1,d0	EN 13964:2014 EN 13501-1:2007 + A1:2009
Release of asbestos	No content	EN 13964:2014
Release of formaldehyde	M1	EN 15251:2007 ISO 16000
Flexural tensile strength	NPD	EN 13964:2014
Sound absorption	Annex 1	EN 13964:2014 ISO 354 / ISO 11654
Thermal conductivity	NPD	EN 13964:2014
Durability	NPD	EN 13964:2014

8. The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

All Declarations of performance are available on website <http://www.trysil-interiortre.no>.

Nybergsund, 04.09.2017



Håkan Stengrundet
Managing Director

Annex 1

Trysil Antibrann	α_w - value
Perforated $\varnothing 6$ - c/c 20mm	0,40
Perforated $\varnothing 8$ - c/c 20mm	0,55 - 0,65
Perforated $\varnothing 10$ - c/c 20mm	0,65 - 0,80
Slotted $\varnothing 6$ - c/c 20mm	0,60 - 0,70